

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-02-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	27-02-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Inter University Centre For Astronomy And Astrophysics
कार्यालय का नाम/Office Name	lucaa
कुल मात्रा/Total Quantity	662
वस्तु श्रेणी /Item Category	TVS Diode 2V , TVS Diode 2.5 V , TVS Diode 3.3 V , TVS Diode 5V , Relay 12VDC , Relay 5VDC , Relay 24VDC , NPN transistor , Diode , Schottky diode 2A , Schottky diode 1A , N-MOSFET , Thin film resistor 3.6 kohm , 47uF film capacitor , Thin film resistor 1.69 kohm , 1.5A positive voltage regulator , 500mA positive voltage regulator , 500mA negative voltage regulator , Precision low noise amplifier , Burried Zener , Precision voltage reference , Metal Foil , ULTRA LOW NOISE OP-AMP IC , ADP-SMAF-SMAF-F-G , BNC Male to SMA Male 15 meter , BNC Male to SMA Male 10 meter , 2 Pin Screw Terminal Block Connector , 3 Pin Screw Terminal Block Connector , Connection SMA PLUG STR 50 OHM SOLDER , Thermal PASTE , BNC RA LOW PROFILE INSUL PCB SK , PT100 3 wire precession temperature sensor , PT100 Sensor Amplifier module , High-Precision AD HAT For Raspberry Pi , STM32G474VET6 or STM32G474VET3 , High quality 3 pin 15 A electrical male plug , Official Arduino UNO EK R4 WiFi , Male Banana plug , Banana Jack Socket red , Banana Jack Socket black , BNC to alligator , Banana Plug Alligator Clip Crocodile red , Banana Plug Alligator Clip Crocodile black , Banana Plug Alligator Clip Crocodile green , Banana Plug Alligator Clip Crocodile blue , 4700uF 50V Electrolytic Capacitor , ceramic capacitors , Official Raspberry Pi 5 Active Cooler , Official 27W USB C PD Power Supply for Raspberry Pi 5 , Computer Power cord , SmartElex 15S DC Motor Driver , Silicon Pad

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	TVS diode 2V, TVS Diode 2.5V, TVS diode 3.3V, TVS diode 5V, Precision Relay 12V, Precision Relay 5V, Precision Relay 24V, NPN transistor, PN Diode, Schottky diode, 2A, 40V, Schottky diode, 1A, 40V, N-MOSFET, Thin film resistor, 3.6 kohm, 47uF film capacitor, Thin film resistor, 1.69 kohm, 1.5A, positive voltage regulator, 500mA, positive voltage regulator, 500mA, negative voltage regulator, Precision low noise amplifier, Burried Zener ,precision voltage reference, Precision voltage reference, Metal Foil Resistors - Through Hole VPR221T, 1ohms 1.0% 8w, Metal Foil Resistors - Through Hole 8 watt 2ohm .1%, Metal Foil Resistors - Through Hole 8 watt 3ohm .02%, ULTRA LOW NOISE OP-AMP IC, ADP-SMAF-SMAF-F-G, BNC Male to SMA Male (15 meter), BNC Male to SMA Male (10 meter), 5mm Pitch 2 Pin Screw Terminal Block Connector 50*2 (100pcs), 3 Pin 5.08mm Pitch Plug-in Screw Terminal Block Connector (100 pcs), Connection SMA PLUG STR 50 OHM SOLDER, Thermal PASTE, BNC R/A LOW PROFILE INSUL PCB SK, PT100 3-wire precession temperature sensor, PT100 Sensor Amplifier module, High-Precision AD HAT For Raspberry Pi, ADS1263 10-Ch 32-Bit ADC, STM32G474VET6, High quality 3 pin 15 A electrical plug, Official Arduino UNO EK (एक) R4 WiFi, Male Banana plug, Banana Jack Socket red, Banana Jack Socket black, BNC to alligator, Banana Plug Alligator Clip Crocodile - red, Banana Plug Alligator Clip Crocodile - black, Banana Plug Alligator Clip Crocodile - green, Banana Plug Alligator Clip Crocodile - blue, 4700uF 50V Electrolytic Capacitor, ceramic capacitors 0603 6±0.1pF, Official Raspberry Pi 5 Active Cooler, Official 27W USB-C PD Power Supply for Raspberry Pi 5, Computer Power cord, SmartElex 15S DC Motor Driver 15A or Double BTS7960 43A H-Bridge, Silicon Pad
	Searched String: TVS diode 2V Rectifier diode, Sofa (V3), Diode Stud Type(RINL), Light emitting diode driver, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , OTR Tyres (V2), Soft Tissue Diode Dental Laser, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bridge Rectifiers, solar lantern systems white light emitting diode Searched String: TVS Diode 2.5V Rectifier diode, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Diode Stud Type(RINL), Light emitting diode driver, High End Desktop Computer, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , OTR Tyres (V2), Soft Tissue Diode Dental Laser, Sofa (V3), Bridge Rectifiers Searched String: TVS diode 3.3V Rectifier diode, High End Desktop Computer, Diode Stud Type(RINL), Light emitting diode driver, Sofa (V3), Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Web Camera As Per UIDAI Specification, Soft Tissue Diode Dental Laser, Entry and Mid Level Desktop Computer, Bridge Rectifiers Searched String: TVS diode 5V Rectifier diode, High End Desktop Computer, Diode Stud Type(RINL), Light emitting diode driver, All in One PC (V2),

बिड विवरण / Bid Details	Blocking Rectifier /Free Wheeling Diode Panel - BHEL , OTR Tyres (V2), Soft Tissue Diode Dental Laser, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Bridge Rectifiers Searched String: Precision Relay 12V Precision Air Conditioner, Cleaning Duster (V3), Precision Height Gauge, Relay Testing Educational Kit, Overload Relay, Relay Module, Vacuum Oven, CONTACTOR RELAY, LED Flasher Relay, Insulation Tester Searched String: Precision Relay 5V Precision Air Conditioner, High End Desktop Computer, Precision Height Gauge, Relay Testing Educational Kit, Overload Relay, All in One PC (V2), Relay Module, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), CONTACTOR RELAY, File/Folder (V3) Searched String: Precision Relay 24V Plug In Relay, 24V DC (BHEL-SCR), Cleaning Duster (V3), Precision Air Conditioner, Relay Testing Educational Kit, Precision Height Gauge, Overload Relay, Insulation Tester, Relay Module, CONTACTOR RELAY, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 Searched String: NPN transistor DISCRETE SEMICONDUCTOR DEVICES (ACTIVE COMPONENT - TRANSISTOR), Insulated Gate Bipolar Transistor Modules (BHEL), Viscometer Searched String: PN Diode Rectifier diode, Diode Stud Type(RINL), Light emitting diode driver, LED Flash Light, Blocking Rectifier /Free Wheeling Diode Panel - BHEL , Soft Tissue Diode Dental Laser, Bridge Rectifiers, Polyethylene Pipes for Water Supply conforming to IS 4984, solar lantern systems white light emitting diode, Professional Large Format Display (V2) Searched String: Schottky diode, 2A, 40V Rectifier diode, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Flying Insect Control Traps - Fly Catcher, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, BiPAP Full Face Mask (V2), Locking Compression Plates (V2), Smooth Bore Circuits - Anesthesia Breathing Circuits (V2), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Digital pH Meter Searched String: Schottky diode, 1A, 40V V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Rectifier diode, Cotton Towelling And Towels (V3) Conforming To IS 7056, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Pad Lock Various (As Per Defence Specification), Power Factor Meter - Digital, Cotton Bandage Cloth Conforming to IS 863, Dough Kneader (V1), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Mobile Storage Compactors
-------------------------	--

बिड विवरण/Bid Details	Searched String: N-MOSFET
	N Heptane, N-Hexane, N - Hexadecane, N,N Dimethyl P Phenylenediamine Dihydrochloride, N-acetylcysteine Injection, N-ACETYL-DL-METHIONINE, Classroom Stools, N - Hexane AR Grade, Books (V2), N - Pit Pumps (IOCL) Searched String: Thin flim resistor, 3.6 kohm Resistors (V2) Searched String: 47uF film capacitor Capacitor Banks For Use On 11 KV System (PSPCL)), A.C. Motor Capacitors ISI Marked to IS 2993 (Part 1), Conductive Film, Optical Adhesive Film, Capacitors for Electric Fan Motors as per IS 1709 (V2), Air bubble film, Theft Proof Rifle Racks, X-ray Film Digitizer, Dry Film Thickness (DFT) Meter, Multilayered Cross Laminated Sheets/Tarpaulins/Covers/ Agricultural Films conforming to 14611 Searched String: Thin flim resistor, 1.69 kohm Resistors (V2), Signal Isolator, Thin Client Computers (V2), zero client Searched String: 1.5A, positive voltage regulator Variable Voltage Variable Frequency Drive, HT Tape, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, XLPE Cables, Category C1 - FR, for Working Voltages from 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), Porcelain Insulators for Overhead Power Lines with A Nominal Voltage Greater than 1000 V as per IS 731, Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Servo Motor Operated Automatic Line Voltage Correctors Conforming to IS 9815 (Part 1) - Single Phase Applications, Porcelain Insulators for Overhead Power Lines with a Nominal Voltage up to and Including 1000 V as per IS 1445, Low Voltage Surge Protective Devices (Surge Protector Panel) as per IS 8794, IS 12987, Disconnectors (Isolators) for working voltage up to and including 1 KV Searched String: 500mA, positive voltage regulator Category not available on GeM for the text string uploaded by the buyer Searched String: 500mA, negative voltage regulator Category not available on GeM for the text string uploaded by the buyer Searched String: Precision low noise amplifier Audio Amplifier (V3) (under BIS Scheme - II) Searched String: Burried Zener ,precision voltage reference Category not available on GeM for the text string uploaded by the buyer Searched String: Precision voltage reference Precision Air Conditioner, XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part

बिड विवरण / Bid Details	2). Precision Height Gauge, GNSS RECEIVER FOR REFERENCE STATION, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Voltage Monitor Relay, Hight Voltage Detector, High Voltage Probe, Current Voltage Measuring Module, Capacitive Voltage Transformer (DTL)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Metal Foil Resistors - Through Hole VPR221T, 1ohms 1.0% 8w
	Spiral Binding / Wiro Binding (V2), Tapered Bearings as per IS 12102, helmet combat fiberglass, Lighting Pole or Post and Hardware - Tubular Street Light Poles (V2), Overbed Tables
	Searched String: Metal Foil Resistors - Through Hole 8 watt 2ohm .1%
	Spiral Binding / Wiro Binding (V2) Searched String: Metal Foil Resistors - Through Hole 8 watt 3ohm .02%
	Category not available on GeM for the text string uploaded by the buyer Searched String: ULTRA LOW NOISE OP-AMP IC Malathion 96%ULV (Ultra Low Volume), Ultra low temperature laboratory deep freezer, Low cement and ultra low cement castables for general engineering purpose (V2) conforming to IS 15541, Audio Amplifier (V3) (under BIS Scheme - II), Ophthalmic Ultrasound A B Scan, Ophthalmic Ultrasound B-Scan System, Optical Storage Media Searched String: ADP-SMAF-SMAF-F-G Alphacypermethrin 75 g/l + Teflubenzuron 75 g/l SC (Suspension Concentrate), FTTH Drop Cable, Transmission Fluid F-10 - Defence(V2), Marine fuels (Class F) conforming to IS 16731, Deltamethrin Flowable (F) (V2) Conforming to IS 14411, CARTON BOX TO DRG NO P-144(f) IN FINISHED CONDITION, Anesthesia Breathing Circuit - Mapleson F Infant T Piece Breathing Circuit (V2), Jacket Combat, TLC plate, Silica gel 60, Net Camouflage Shrimp Type (Defence) Searched String: BNC Male to SMA Male (15 meter) Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Cables, Converters and Adapters, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), SMA connector, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), Maleic Anhydride, Embroidery Products from Malerkotla - ODOP, Telephone Line Cord, Thermal Paper (V3) Conforming to IS 17568 Searched String: BNC Male to SMA Male (10 meter) Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Cables, Converters and Adapters, Elbows, Round, Male and Female, Equal as confirming to IS 1239 (Part 2), SMA connector, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Digital pH Meter, Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), Maleic Anhydride, Small Foam Tender for Fire Brigade Use

बिड विवरण/Bid Details	conforming to IS 10460, Telephone Line Cord
	Searched String: 5mm Pitch 2 Pin Screw Terminal Block Connector 50*2 (100pcs) Laboratory Vials (V2), Steinmann Pin Searched String: 3 Pin 5.08mm Pitch Plug-in Screw Terminal Block Connector (100 pcs) Category not available on GeM for the text string uploaded by the buyer Searched String: Connection SMA PLUG STR 50 OHM SOLDER Category not available on GeM for the text string uploaded by the buyer Searched String: Thermal PASTE Cutting Paste, Thermal Ribbon, Carbon Electrode paste, Dental Polishing Paste, Soft Solder - IS 193, Cordless Dental Retraction Paste, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, thermal gloves, thermal imager, Thermal Silicon Adhesive Searched String: BNC R/A LOW PROFILE INSUL PCB SK Category not available on GeM for the text string uploaded by the buyer Searched String: PT100 3-wire precession temperature sensor Temperature sensor, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Temperature & Humidity Sensor, Smoke Density Meter, Tapered Bearings as per IS 12102 Searched String: PT100 Sensor Amplifier module Speaker (V3), Audio Amplifier (V3), Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial Searched String: High-Precision AD HAT For Raspberry Pi, ADS1263 10-Ch 32-Bit ADC Category not available on GeM for the text string uploaded by the buyer Searched String: STM32G474VET6 Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, water baths, Rabies Veterinary Vaccine, Inactivated (Cell Culture), Glucose-6-Phosphate Dehydrogenase (G6PD) Activity Test Kit (V2), Insulin Pen Needle (V2), Electrical Extension Box (V4), Blood Lancets, Cat 6 Patch cord, Steel Clothes Lockers (V3) conforming To Is 3314, Dry Erase Writing Boards (V3) Searched String: High quality 3 pin 15 A electrical plug HT Tape, Electrical Plugs (V2) ISI Marked to IS 1293 Searched String: Official Arduino UNO EK (एक) R4 WiFi Category not available on GeM for the text string uploaded

बिड विवरण/Bid Details	by the buyer
	Searched String: Male Banana plug Banana Seeds, Cables, Converters and Adapters, Banana Food Products from Theni - ODOP, Banana from Goalpara - ODOP, Plug Gauge, Test Leads, Rubber Plug, Mobile Containers For Solid Waste Conforming to IS 12402, Banana Sockets and Terminals, Banana Chips from Kamrup - ODOP Searched String: Banana Jack Socket red Banana Sockets and Terminals, Socket Reducing confirming to IS 1239 (Part 2), Kick / Punching (Bag) - Gymnastics, Commercial PPR Pipes Fittings as per IS 15801, Laboratory Glass Adapters Searched String: Banana Jack Socket black Banana Sockets and Terminals, Impact socket, Kick / Punching (Bag) - Gymnastics Searched String: BNC to alligator Ready to Eat Baigan Bharta (V1) (Defence), Steel Almirah / Cabinets conforming to IS 3312 (V4), Ready to Eat Navrattan Korma (V3) (Defence), Ph Meter Rod, Speech to Text Software, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Ready to Eat Aloo Matar Curried (V3) (Defence), water baths, Ready to Eat Sarson Ka Saag (V3) (Defence), LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3) Searched String: Banana Plug Alligator Clip Crocodile - red Category not available on GeM for the text string uploaded by the buyer Searched String: Banana Plug Alligator Clip Crocodile - black Category not available on GeM for the text string uploaded by the buyer Searched String: Banana Plug Alligator Clip Crocodile - green Category not available on GeM for the text string uploaded by the buyer Searched String: Banana Plug Alligator Clip Crocodile - blue Category not available on GeM for the text string uploaded by the buyer Searched String: 4700uF 50V Electrolytic Capacitor White LED Based Solar Street Lighting System for Model (I, II, III And IV) Searched String: ceramic capacitors 0603 6±0.1pF Tea Set (V2), Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Ceramic Fibre Blanket Insulation as per IS 15402, Capacitors for Electric Fan Motors as per IS 1709 (V2), Ceramic fiber cloth

बिड विवरण / Bid Details	(RINL)
	Searched String: Official Raspberry Pi 5 Active Cooler DIGITAL SIGNAL PROCESSING BOARD, Driver Display Unit Searched String: Official 27W USB-C PD Power Supply for Raspberry Pi 5 Category not available on GeM for the text string uploaded by the buyer Searched String: Computer Power cord Computer Power Cord, High End Desktop Computer, Detonating Cord, Computer Keyboards, Entry and Mid Level Desktop Computer, Computer Mouse, Power Generator - DG Set (up to 900 KVA), computer kiosk, Fiber Optic Patch Cord, Pull Cord Switch Searched String: SmartElex 15S DC Motor Driver 15A or Double BTS7960 43A H-Bridge Category not available on GeM for the text string uploaded by the buyer Searched String: Silicon Pad Silicon Metal, Chair for General Purpose, Silicon Spray, LCR Meter, Silicon Sealent, Writing Pad Chair, Thermal Silicon Adhesive, Mouse Pad (V2), Silicon Rubber(BHEL), Dak Pad (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Rectifier diode
बीओक्यू शीर्षक / BOQ Title	Electronic Component
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)

बिड विवरण/Bid Details	
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Single Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	TVS Diode 2V
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price-breakup (To be uploaded in financial documents only) - [1770095760.xlsx](#)

TVS Diode 2V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

TVS Diode 2.5 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

TVS Diode 3.3 V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

TVS Diode 5V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Relay 12VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Relay 5VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Relay 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

NPN Transistor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Diode

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Schottky Diode 2A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Schottky Diode 1A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

N-MOSFET

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Thin Flim Resistor 3.6 Kohm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

47uF Film Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Thin Flim Resistor 1.69 Kohm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

1.5A Positive Voltage Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

500mA Positive Voltage Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

500mA Negative Voltage Regulator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Precision Low Noise Amplifier

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Burried Zener

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Precision Voltage Reference

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Metal Foil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	2	30

Metal Foil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	2	30

Metal Foil

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	2	30

ULTRA LOW NOISE OP-AMP IC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	12	30

ADP-SMAF-SMAF-F-G

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

BNC Male To SMA Male 15 Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	4	30

BNC Male To SMA Male 10 Meter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	6	30

2 Pin Screw Terminal Block Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	2	30

3 Pin Screw Terminal Block Connector

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	1	30

Connection SMA PLUG STR 50 OHM SOLDER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	12	30

Thermal PASTE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

BNC RA LOW PROFILE INSUL PCB SK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

PT100 3 Wire Precession Temperature Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	3	30

PT100 Sensor Amplifier Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	3	30

High-Precision AD HAT For Raspberry Pi

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	3	30

STM32G474VET6 Or STM32G474VET3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

High Quality 3 Pin 15 A Electrical Male Plug

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Official Arduino UNO EK R4 WiFi

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Male Banana Plug

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

Banana Jack Socket Red

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

Banana Jack Socket Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

BNC To Alligator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

Banana Plug Alligator Clip Crocodile Red

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Banana Plug Alligator Clip Crocodile Black

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Banana Plug Alligator Clip Crocodile Green

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Banana Plug Alligator Clip Crocodile Blue

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

4700uF 50V Electrolytic Capacitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

Ceramic Capacitors

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	200	30

Official Raspberry Pi 5 Active Cooler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Official 27W USB C PD Power Supply For Raspberry Pi 5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Computer Power Cord

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	10	30

SmartElex 15S DC Motor Driver

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	5	30

Silicon Pad

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Prasad Bhalchandra Mali	411007,IUCAA, Meghnad Saha Road, SPPU Campus (Savitribai Phule Pune University Campus), Ganeshkhind, Pune 411007	20	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Sample Clause

After award of contract – Successful Bidder shall have to get advance sample approved from buyer before bulk manufacturing / starting bulk supplies. Successful Bidder shall submit

1

samples for Buyer's approval, within 5 days of award of contract. Buyer shall, as per contract specifications framework, either approve the advance sample or will provide complete list of modification required in the sample within 5 days of receipt of advance sample. Seller shall be required to ensure supply as per approved sample with modifications as communicated by Buyer. If there is delay from buyer side in approval of advance sample – the delivery period shall be refixed without LD for the period of delay in sample approval. In case, the sample is found to have major deviations / not conforming to the Contract specifications, the buyer at its discretion may call for fresh samples for approval before allowing bulk supplies or may terminate the contract after notifying the deviations to the seller.

Unless otherwise provided in the contract, all samples required for test shall be supplied by the contractor free of cost. Where under the contract, the contractor is required to submit an advance sample, any expenses incurred by the contractor on or in connection with the production of stores in bulk, before the sample has been approved unconditionally shall be borne by the Seller and he shall not claim any compensation in the event of such sample being found unacceptable by the Buyer / Consignee.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---